#### **SECTION 1- PRODUCT IDENTIFICATION**

PRODUCT NAME DP TORNADO II , TORNADO

**SYNONYMS** Not applicable.

**PRODUCT USE** Laundry Detergent Additive

**United Formulas SUPPLIER** 

**SUPPLIER'S ADDRESS** 601 6th St SW, Unit 5

Great Falls MT 59405

(406) 727-4144

**EMERGENCY RESPONSE** 

**PHONE** 

: Infotrac: 1-800-535-5053

#### **SECTION 2 – HAZARD IDENTIFICATION**

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Harmful if swallowed. GHS U.S. – CLASSIFICATION : H302

H315

H315 Causes skin irritation

H319 Causes serious eye irritation :

**LABEL ELEMENTS GHS – US HAZARD PICTOGRAMS** The product is classified and labeled according

to the Globally Harmonized System (GHS).

**HAZARD PICTOGRAMS** 

WARNING

SIGNAL WORD **HAZARD STATEMENTS** 

(GHS-US)

Harmful if swallowed. H302

Causes serious eye irritation. H319

Causes skin irritation.

PRECAUTIONARY STATEMENTS

(GHS-US)

: P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P264 Wash skin and contaminated clothing thoroughly after handling.

P270 Do not eat, drink, or smoke when using this product.

P280 Wear suitable protective gloves / protective clothing / eye protection /

face protection.

P301+ IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

P312 unwell

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove

P338 contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. P332+P313 P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations

**OSHA HAZARDS** Target Organ Effect (None) TARGET ORGANS Kidney, Liver, Nerves (None).

CLASSIFICATION SYSTEM NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

Health = 2, Fire = 0, Reactivity = 0 NFPA RATINGS (SCALE 0-4)

**HMIS RATINGS (SCALE 0-5)** : Health = 2, Fire = 0, Reactivity = 0

#### SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC Mixtures

DESCRIPTION Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EINECS #	GHS CLASSIFICATION	
Monoethanolamine	1-5	141-43-5	200-659-6	Skin Corrosion Cat 1B	
Propylene Glycol Butyl Ether	1-5	5131-66-8 &	225-878-4	Skin Irritant Cat 2, Eye Irritant Cat 2A	
		18821-83-7			
Ethylenediamine Tetraacetate Na salt	1-5	64-02-8	200-573-9	Skin Irritant Cat 2, Eye Damage Cat	
				2A	
Sodium Dodecylbenzene Sulfonate	1-5	25155-30-0	246-680-4	Skin Irritant Cat 4, Eye Damage Cat 2	
				Acute Toxicity Cat 4, STOT SE Cat 3	
Coconut Diethanolamide	1-5	68603-42-9	271-657-0	Skin Irritant Cat 2, Eye Irritant Cat 2B	

Cat = Category, STOT-SE = Specific Target Organ Toxicity-Single Exposure.

#### **SECTION 4 – FIRST AID MEASURES**

#### **DESCRIPTION OF FIRST AID MEASURES**

GENERAL : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice. Show the label where possible.

**EYE CONTACT** : Immediately flush the eyes with water for at least 15 minutes. Hold eyelids open to

ensure adequate flushing. Get immediate medical attention.

**SKIN CONTACT** Remove contaminated clothing and shoes. Wash affected skin area with soap and

water. Delayed skin damage is possible if the product is not completely washed off.

Get immediate medical attention.

**SWALLOWING (INGESTION)** If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING.

> If vomiting occurs spontaneously, keep the airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get

immediate medical attention.

: Remove to fresh air. Get immediate medical attention. **INHALATION** 

Rescue personnel must wear appropriate protective equipment during removal of **OTHER INSTRUCTIONS** 

victims from contaminated areas. Treat symptomatically and supportively.

#### **SECTION 5 – FIRE FIGHTING MEASURES**

**EXTINGUISHING MEDIA SPECIAL PROTECTIVE** 

Dry chemical, foam, water, or carbon dioxide.

**EQUIPMENT AND** PRECAUTIONS FOR FIRE In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all

non-essential personnel from the danger area.

**FIGHTERS** 

No further relevant information is available.

**UNUSUAL FIRE AND** 

**EXPLOSION HAZARDS** 

#### **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS, **PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES** 

: Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.

# SAFETY DATA SHEET TORNADO,

**DP TORNADO II** 

**ENVIRONMENTAL PROCEDURES** 

Keep spilled material away from sewage/drainage systems and waterways.

**METHODS AND MATERIALS** FOR CONTAINMENT AND **CLEAN-UP** 

All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

#### **SECTION 7 – HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE **HANDLING** 

Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.

CONDITIONS FOR SAFE STORAGE

Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.





#### **SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION**

TLV (THRESHOLD LIMIT VALUE)

: The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
Monoethanolamine	Not Established	Not Established	Not Established
Propylene Glycol Butyl Ether	Not Established	Not Established	Not Established
Ethylenediamine Tetraacetate	Not Established	Not Established	Not Established
Sodium Dodecylbenzene Sulfonate	Not Established	Not Established	Not Established
Coconut Diethanolamide	Not Established	Not Established	Not Established

Wear chemical splash goggles or face shield. **EYE PROTECTION** 

SKIN PROTECTION Minimize contact with product. Wear chemical resistant coveralls, boots, gloves,

apron and/or suitable long-sleeved clothing.

RESPIRATORY PROTECTION In case of brief exposure use respiratory filter device. In case of intensive or longer

exposure, use respiratory protective device that is independent of circulating air.

**VENTILATION** Ensure adequate ventilation.

ADDITIONAL MEASURES Emergency eyewash and safety shower facilities should be available in the

immediate work area.

**REQUIRED WORK/HYGIENE** : Wash hands thoroughly after handling. Keep away from all food stuff, beverages,

and feed. Do not eat, drink, or smoke in work area.

#### **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE** Clear liquid Mild odor ODOR **ODOR THRESHOLD** Not available PH 11.5 - 12.5 **MELTING POINT/FREEZING** Not available

**POINT** 

PAGE 3 of 7

**BOILING POINT** : Approx. 212° F.

FLASH POINT : Nonflammable, Noncombustible

**EVAPORATION RATE** : Not available

FLAMMABILITY : Nonflammable, Noncombustible

LOWER FLAMMABILITY LIMIT:Not availableUPPER FLAMMABILITY LIMIT:Not availableVAPOR PRESSURE:Not availableVAPOR DENSITY (AIR=1):Not available

RELATIVE DENSITY : 1.01

SOLUBILITY IN WATER : Soluble in water PARTITION COEFFICIENT n- : Not available

OCTANOL/WATER

AUTOIGNITION TEMPERATURE : Not available DECOMPOSITION : Not available

**TEMPERATURE** 

#### **SECTION 10 - STABILITY AND REACTIVITY**

**STABILITY** : Stable under recommended storage conditions. **HAZARDOUS CONDITIONS TO** : No decomposition if used according to specifications

HAZARDOUS CONDITIONS TO

AVOID

**INCOMPATIBLE MATERIALS**: Keep away from strong acids.

HAZARDOUS DECOMPOSITION :

**PRODUCTS** 

No dangerous decomposition products known.

#### **SECTION 11 – TOXICOLOGICAL INFORMATION**

TOXICOLOGICAL INFORMATION : Monoethanolamine

- CONTROL ON THE CONT

**ACUTE TOXICITY** 

LD50 rat (oral): 1,515 mg/kg, LC50 rat (by inhalation): > 1.3 mg/l 6 h (IRT) The European Union (EU) has classified this substance as 'harmful'. The vapor was

tested. LD50 rabbit (dermal): 2,504 mg/kg (OECD Guideline 402)

TOXICOLOGICAL INFORMATION : Propylene Glycol Butyl Ether

**ACUTE TOXICITY** : LD 50 Rat: 2,200 mg/kg **ACUTE INHALATION TOXICITY** : No data available

ACUTE DERMAL TOXICITY : LD 50 Rabbit: 3,100 mg/kg

**TOXICOLOGICAL INFORMATION**: Ethylenediamine Tetraacetate **ACUTE TOXICITY**: LD50 Oral (rat): 630 - 1,260 mg/kg,

INHALATION LC50 : No data available
DERMAL LD50 : No data available
OTHER INFORMATION ON : No data available

**ACUTE TOXICITY** 

TOXICOLOGICAL INFORMATION : Sodium Dodecylbenzene Sulfonate

**ACUTE TOXICITY** : LD50 Oral rat: 438 mg/kg.

INHALATION TOXICITY : No data available DERMAL TOXICITY : No data available

**SKIN CORROSION/IRRITATION**: Skin – rabbit Result: Skin irritation - 24 h

**SERIOUS EYE** : Eyes – rabbit Result: Severe eye irritation - 24 h

DAMAGE/IRRITATION

**RESPIRATORY/SKIN**: No data available

SENSITISATION

**GERM CELL MUTAGENICITY**: No data available

**CARCINOGENICITY** No components of this product present at levels greater than or equal to 0.1% are

identified as probable, possible, or confirmed human carcinogen by IARC ACGIH,

NTP or OSHA.

TOXICOLOGICAL INFORMATION **Coconut Diethanolamide** 

**ACUTE TOXICITY** LD50 Oral (rat): > 5,000 mg/kg, LD50 Dermal (rabbit): > 2000 mg/kg.

**ACUTE EFFECTS** May be harmful in contact with skin.

**CHRONIC EFFECTS** Hazardous by OSHA criteria. Prolonged inhalation may be harmful. Prolonged

exposure may cause chronic effects. May cause damage to organs through

prolonged or repeated exposure.

SYMPTOMS AND TARGET

**ORGANS** 

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin

irritation. May cause redness and pain

#### **SECTION 12 – ECOLOGICAL INFORMATION**

**ECOLOGICAL INFORMATION** : Monoethanolamine

**ECOTOXICITY (TOXICITY TO** : LC50 (96 h) 349 mg/l, Cyprinus Carpio. LC50 (96 h) 170 mg/l, Carassius auratus. FISH)

**ECOTOXICITY (AQUATIC** : EC50 (48 h) 65 mg/l, Daphnia magna.

**INVERTABRATES)** 

**ECOTOXICITY (AQUATIC** 

: EC50 (72 h) 2.5 mg/l (growth rate), Selenastrum capricornutum. EC50 (72 h) 22 mg/l (growth rate), Scenedesmus subspicatus. PLANTS)

**ECOTOXICITY: (EFFECT ON** 

**ACTIVATED SLUDGE** 

: EC20 (0.5 h) > 1,000 mg/l, activated sludge, domestic.

**ECOLOGICAL INFORMATION Propylene Glycol Butyl Ether** 

**ECOTOXICITY: TOXICITY TO FISH** No data available TOXICITY TO DAPHNIA No data available **TOXICITY TO ALGAE** No data available **TOXICITY TO BACTERIA** No data available

**ECOLOGICAL INFORMATION Ethylenediamine Tetraacetate** 

**ECOTOXICITY** No data available. PERSISTENCE AND No data available.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL : No data available.

**ECOLOGICAL INFORMATION** : Sodium Dodecylbenzene Sulfonate

TOXICITY TO FISH Mortality NOEC - Oncorhynchus kisutch - 3.1 mg/l - 3 d

Mortality LOEC - Oncorhynchus kisutch - 5.6 mg/l - 3 d

LC50 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h

**ECOLOGICAL INFORMATION** : Coconut Diethanolamide

: LC50 Algae: < 10 mg/l 72 hours, LC50 Daphnia: < 10 mg/l 48 hours, LC50 Fish: < 10 **ACUTE TOXICITY** 

mg/l 96 hours

PERSISTENCE AND

**DEGRADABILITY** 

Readily biodegradable

BIOACCUMULATIVE POTENTIAL : No data available.

#### **SECTION 13 – DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL : This product must be disposed of in accordance with Federal, state, and local environmental regulations. Discarded materials may be considered hazardous

waste due to pH/corrosivity. It is the responsibility of the product user to determine

at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.

#### SECTION 14 - TRANSPORTATION INFORMATION

**DOT/IMDG/IATA PROPER** 

**SHIPPING NAME** 

: Not Hazardous

LIAZADO CLACC AND LAD

HAZARD CLASS AND LABEL : Not Applicable.
UN NUMBER : Not Applicable.
PACKAGING GROUP : Not Applicable.
EPA REPORTABLE QUANTITY : Not Applicable.

(RQ)

MARINE POLLUTANT : Not listed.

EMERGENCY RESPONSE GUIDE : Not Applicable.

#### **SECTION 15 - REGULATORY INFORMATION**

#### U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information

#### **U.S. FEDERAL REGULATORY INFORMATION:**

LISTED CARCINOGEN : Not listed.

**TSCA STATUS**: The ingredients of this product are listed in TSCA inventory (40CFR 710.)

SARA SECTION 302 : No chemicals in this material are subject to the reporting requirements of SARA Title

III, Section 302.

SARA SECTION 312 : Chronic health hazard (Glycol Ether DPM).

SARA SECTION 313 : This material does not contain any chemical components with known CAS

numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

NFPA HEALTH : 2 NFPA FLAMMABILITY : 0 NFPA REACTIVITY : 0

### **CANADIAN REGULATORY INFORMATION:**

WHMIS CATEGORY : D2B: Materials that cause other toxic effects (TOXIC).

**DOMESTIC SUBSTANCES LIST** 

(DSL)

Listed

INGREDIENT DISCLOSURE LIST : Listed



#### **SECTION 16 - OTHER INFORMATION**

**DISCLAIMER** : The information contained herein has been compiled from sources believed to be

reliable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Such Group Int. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and

recommendations in the specific context of their intended use.

**CERCLA** : Comprehensive Environmental Response, Compensation, and Liability Act.

**EINECS**: European Inventory of Existing Commercial Chemical Substances

IMDG: International Maritime Code for Dangerous GoodsIARC: International Agency for Research on CancerIATA: International Air Transportation Association

ACGIH : American Conference of Governmental Industrial Hygienists

NFPA : National Fire Protection Association (USA)

NTP : National Toxicology Program

SARA : Superfund Amendments and Reauthorization Act

TSCA : Toxic Substances Control Act

HMIS : Hazardous Materials Identification System (USA)WHMIS : Workplace Hazardous Materials Information System

**LC50** : Lethal concentration, 50 percent

**LD50** : Lethal dose, 50 percent

**STOT** : Systemic Target Organ Toxicity

DATE PREPARED: DEC 29, 2018DATE REVISED: OCT 12, 2023